Certificate of Analysis

Steadfast Lab

Sample: 2304STD0916.4860
NORD TC AD-NORD-TCI0 #1

Concentrates & Extracts, Vape - Oil
Sample Received: 04/14/2023; Report Created: 04/14/2023
METRC Manifest: ; METRC Batch: ; METRC Sample:

Heavy Metals

Pass

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Arsenic	0.05	0.20	ND	Pass
Cadmium	0.05	0.20	ND	Pass
Chromium	0.05	0.60	0.10	Pass
Copper	0.05	3.00	<0.05	Pass
Lead	0.05	0.50	ND	Pass
Mercury	0.05	0.10	ND	Pass
Nickel	0.05	0.50	0.15	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.Method: SOP 10

Steadfast Lab
22018 John R. Rd
Hazel Park, MI
(248) 781-4242
www.steadfastlab.com

Philip Rose
Analytical Chemist

PJLA Testing
Accreditation# 88358

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

For tests that include a limit, the limit is the pass / fail criteria for that test Steadfast Lab makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This certificate shall not be reproduced except in full, without the written approval of Steadfast Lab.